

Latex cleanroom glove with unbeatable comfort and elbow length protection

At 400mm (16") BioClean Extra Sterile Latex Gloves provide elbow length protection and flexibility and comfort for prolonged use. This natural-coloured glove features a textured surface and a beaded cuff for strength.

CAUTION: Safe use of these gloves by latex-sensitized individuals has not been established. This product contains natural rubber latex, which may cause allergic reactions.

- Flexible & comfortable
- Elbow length protection
- Powder-free
- Beaded cuff
- Easy double-donning
- Non-particulating EasyTear packaging



Industries

- Controlled and Critical Environments
- Production and Manufacturing
- Lab and R&D
- Sterile Processing Department



TECHNICAL DATA SHEET

PRODUCT INFORMATION

Extra BLAS	
Material	Natural Rubber Latex
Color	Natural
Shape	Ambidextrous
Cuff	Beaded
Manufacturing/QMS Audit Standards	Manufacturing QMS Audit Standards ISO 9001, PPE Regulation 2016 425 Module D
Regulatory/Standards Compliance	CE 0598, EN 420:2003 + A1:2009, EN 455 Part 2, EN ISO 374-1:2016, EN ISO 374-5:2016, EN 421:2010, Food Contact, Category III
Storage	Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.
Country of Origin	Malaysia
Available sizes	S (6.5 - 7), M (7.5 - 8), L (8.5 - 9), XL (9.5 - 10)
Powder Content	Powder-Free
External Glove Surface	Textured Fingers and Palm
Internal Glove Surface	Chlorinated
Sterilization Method	GAMMA irradiation (25 kGy)
Sterilization Minimum Dose	25kGy
Sterility Assurance Level	10 ⁻⁶
Cleanroom Class	Class 10/ISO 4 & EU GMP Grade A
Shelf Life	Five (5) years from date of manufacture.
Tested for use with Chemotherapy Drugs	No
Protein Level	50 µg/g or less of total extractable protein



Extra BLAS

Sterile Latex Cleanroom Glove

PHYSICAL PROPERTIES

Sizes	Typical Values				Testing Method
	S	M	L	XL	
Length (mm/in)	400 / 16				EN 420
Palm Width (mm/in)	85/3.3	95/3.7	106/4.2	115/4.5	
Freedom from Holes	1.5 AQL Performance Level 2				EN 374-2
Typical Particle Count ≥0.5µm (counts / cm ²)	<2400				IEST-RP-CC005.4
Minimum Single Wall Palm Thickness (mm/mil)	0.17 / 6.69				EN 455-2
Minimum Single Wall Finger Thickness (mm/mil)	0.21 / 8.27				EN 455-2
Minimum Single Wall Cuff Thickness (mm/mil)	0.12 / 4.72				EN 455-2
During Ageing					
Force at Break (N)	≥ 9 N				EN 455-2

IONIC CONTENT

Concentration in µg/cm ²	Typical	Concentration in µg/cm ²	Typical
Ammonium	0.333	Nitrate	0.528
Bromide	0.053	Nitrite	Not Detected
Calcium	1.155	Phosphate	0.014
Chloride	4.412	Potassium	0.075
Fluoride	Not Detected	Sodium	0.025
Lithium	0.230	Sulphate	0.267
Magnesium	Not Detected	Zinc	Not Detected

ORDERING INFORMATION

	SIZE	S	M	L	XL
Extra BLAS	REORDER NO.	BLAS-S	BLAS-M	BLAS-L	BLAS-XL

Performance Standards and Regulatory Compliance



For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

Asia Pacific Region

Ansell Global Trading Center
T: +603 8310 6688
F: +603 8310 6699

North America Region

Ansell Healthcare Products LLC
US T: +1 800 800 0444
US F: +1 800 800 0445
CA T: +1-800-363-8340

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Australia

Ansell Limited
T: +61 1800 337 041
F: +61 1800 803 578

UK

Ansell Nitritex
T: +44 1638 663338
F: +44 1638 668890



Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2021 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

